

SERVICES

Freight

Dimensions Guide: Road Transport

Container Type	Internal Dimensions (L x W x H)	Max Cargo Weight
40 foot high cube	12,030 x 2,460 x 2,655 mm	20,000 kg
40 foot standard	12,030 x 2,460 x 2,390 mm	18,000 kg
30 foot standard	9,000 x 2,350 x 2,360 mm	9,000 kg
20 foot standard	5,900 x 2,350 x 2,300 mm	8,000 kg
16 foot standard	4,800 x 2,100 x 1,900 mm	3,000 kg
10 foot standard	3,000 x 1,850 x 1,600 mm	1,000 kg

SERVICES

Freight

Dimensions Guide: Sea/Air Freight

Container Type	Internal Dimensions (L x W x H)	Max Cargo Weight
45 foot standard	13,550 x 2,350 x 2,360 mm	28,000 kg (61,729 lbs)
45 foot high cube	13,550 x 2,350 x 2,655 mm	27,800 kg (61,288 lbs)
40 foot standard	11,930 x 2,350 x 2,360 mm	28,800 kg (63,493 lbs)
40 foot high cube	11,930 x 2,350 x 2,655 mm	28,600 kg (63,052 lbs)
20 foot standard	5,900 x 2,350 x 2,360 mm	28,200 kg (62,170 lbs)
20 foot high cube	5,900 x 2,350 x 2,655 mm	28,000 kg (61,729 lbs)

SERVICES

Freight

Dimensions Guide: ISO Pallets

Standardized dimensions approved by the International Organization for Standardization (ISO), detailed in ISO Standard 6780. We have also added different standard pallet sizes and dimensions available in the main geographical regions of the world.

Dimensions, inches (W x L)	Dimensions, mm (W x L)	Region Most Used
48.00 x 40.00	1,016 x 1,219	North America
39.37 x 47.24	1,000 x 1,200	Europe, Asia
44.88 x 44.88	1,140 x 1,140	Australia
42.00 x 42.00	1,067 x 1,067	North America, Europe, Asia
43.30 x 43.30	1,100 x 1,100	Asia
31.50 x 47.24	800 x 600	Europe (fits many doorways)